No.



9300247

THE UNITED SHAMES OF ANTERIOR

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Pioneer Hi-Bred International, Inc.

MILETERS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, Therefore, this certificate of plant variety protection is to grant unto the said applicant(s) and the successors, heirs or assigns of the said applicant(s) for the term of twenty years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, or importing it, or exporting it, or conditioning it for propagation, or stocking it for any of the over purposes, or using it in producing a hybrid or different variety therefrom, to the extent ped by the Plant Variety Protection Act. (84 stat. 1542, as amended, 7 u.s.c. 2321 et seq.)

SOYBEAN

'9394'

In Testimonn Murror, I have hereunto set my hand and caused the seal of the Hunt Anciety Hustertion Office to be affixed at the City of Washington, D.C. this twenty-ninth day of September in the year of our Lord one thousand nine hundred and ninety-five.

Allest:

Marsha A. Standen

Commissioner

Plant Variety Protection Office Agricultural Marketing Service Gocretary of Agriculture

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

FORM APPROVED: OMB 0581-0055, Expires 1/31/91

U.S. DEPARTMENT OF A						
APPLICATION FOR PLANT VARIET (Instructions on	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).					
NAME OF APPLICANT(S) (as it is to appear on the Certificate)	reverse/	2. TEMPORARY		. VARIETY NAME		
Pioneer Hi-Bred International	, Inc.	EXPERIMENT	AL NO.	9394		
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)		5. PHONE (Include	de area code)	FOR OFFICIAL USE ONLY		
700 Capital Square			P	VPO NUMBER		
400 Locust		(515) 27	0-3582	0700047		
Des Moines, IA 50309		(313) 2,	0 3302	9300247		
	•	ļ		Date 1 1003		
6. GENUS AND SPECIES NAME	7. FAMILY NAME (Botanical)		time 16, 1993		
Glycine max	Legumi	nosae		N		
8. CROP KIND NAME (Common Name)	20801111	9. DATE OF DETERMIN	ANTION:	F Filing and Examination Fee:		
Soybean		October	1	£ : 2325, <u>∞</u>		
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGA	MIZATION (O 2'	1 '		S Date		
	INIZATION (Corporatio	on, parinersnip, association	, etc.)	R Church, 1993 E Certificate Fee:		
Corporation 11. IF INCORPORATED, GIVE STATE OF INCORPORATION				E \$300.00		
Iowa	•	12. DATE OF INCORPORA	TION	V Date		
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO		1926	. ,	5 Sept. 5, 1995		
John Grace 7301 NW 62nd Ave., P.O. Box 85 Johnston, IA 50131-0085 14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Folia) a. X Exhibit A, Origin and Breeding History of the Variety. b. X Exhibit B, Novelty Statement. c. X Exhibit C, Objective Description of Variety. d. X Exhibit D, Additional Description of Variety. e. X Exhibit E, Statement of the Basis of Applicant's Ownersh 1. X Seed Sample (2,500 viable untreated seeds). Date Seed 9. X Filing and Examination Fee (\$2,150) made payable to "15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOProtection Act.) 15. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS NUMBER OF GENERATIONS? NO 18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY BE IMPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY BE IMPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY BE IMPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY BE IMPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY BE IMPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY BE IMPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY BE IMPLICANTED AS NUMBER OF GENERATIONS? YES (If "YES." Inrough Plant Variety Protection Act No	ip. (Sample mailed to Fireasurer of the United By Variety NAM NOTO 17. IF "VARIETY IN THE U.S.? Patent Act. G	Plant Variety Protection (ted States." E ONLY AS A CLASS OF CI Off "NO," skip to item 18 to (ES" TO ITEM 16, WHICH CO FOUNDATION	Square, 40 IA 50309 E (Include area code): Office 6/11/9. ERTIFIED SEED? (See selectow) LASSES OF PRODUCTION REGISTERE	ection 83(a) of the Plant Variety ON BEYOND BREEDER SEED?		
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR M YES (II "YES," give names of countries and dates) NO 20. The applicant(s) declare(s) that a viable sample of basic se request in accordance with such regulations as may be appl. The undersigned applicant(s) is (are) the owner(s) of this uniform, and stable as required in section 41, and is entitle Applicant(s) is (are) informed that false representation here. SIGNATURE OF APPLICANT (Owner(s))	eds of this variet, licable. sexually reprodu d to protection un ein can jeopardize	y will be furnished wi uced novel plant vari der the provisions of s	th the application a ety, and believe(s) ection 42 of the Plan in penalties.	that the variety is distinct, nt Variety Protection Act.		
SIGNATURE OF APPLICANT JOWNEYS				6/3/13		
SIGNATURE OF AFFLICANT (OWNER(S))	CAPACIT	Y OR TITLE		DATE		

9394 Soybean (April 1993)

Exhibit A: Origin and Breeding History

Summer 1986 Original cross was made at Marshall, MO. Cross number was PX7385. Parentage = A3307/Egyptian.

Winter 1986-88 F1 seed was grown in Hawaii, where the population was advanced to the F5 generation using modified single seed descent.

Single plants were harvested in Hawaii and returned to Marshall, MO, in the spring of 1988.

Summer 1988 F5-derived plant rows of PX7385 were grown at Marshall, MO. Plant row M8-30707 was selected and composited.

Summer 1989 PX7385M006 was entered in MLD382 as entry 38 and planted as 1 replication at 3 locations.

Winter 1989 PX7385M006 was grown in Hawaii for individual plants to be harvested to initiate purification in the summer of 1990.

Summer 1990-92 Subsequent wide area testing over 3 years has shown 9394 to be uniform and stable for all plant traits from generation to generation with no evidence of variants.

4.5 acres of 9394 (breeders seed) were grown in Missouri during 1991. 90 acres of parent seed (foundation seed equivalent) were grown in Illinois during 1992.

Exhibit B: Novelty Statement

9394 is most similar to variety 9402. Both varieties have resistance to physiological race 3 and 4 (new race 14) of Soybean Cyst Nematode (Heterodera glycines Ichnohoe). However, 9394 has resistance to physiological races 1, 2, 10, 13, and 17 of Phytophthora Root Rot (Phytophthora megasperma var. sojae) while 9402 does not.

9300247



PIONEER HI-BRED INTERNATIONAL, INC. RESEARCH AND PRODUCT DEVELOPMENT

RESEARCH CENTER
7300 N.W. 62ND AVENUE • P.O. BOX 1004
JOHNSTON, IOWA 50131-1004
PHONE: (515) 270-3600
TELEFAX: (515) 270-4312

August 21, 1995

Mr. Jeffrey L. Strachan Plant Variety Protection Office U.S. Department of Agriculture NAL Building, Room 500 10301 Baltimore Blvd. Beltsville, MD 20705-2351

Subject: PVP Application Number 9300247, Soybean, '9394'

Dear Mr. Strachan:

Please add this supplemental information to Exhibit A.

Exhibit A.

Based upon its yield performance and resistance to Soybean Cyst Nematode races 3 and 14, 9394 was released in 1993.

Sincerely.

John Grace

Soybean Research Coordinator

enclosures

cc: Dennis Byron Clark Jennings Mike Roth

.02 28

1121

EXHIBIT C

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

	AN (Grycine max L.)		
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME	·
Pioneer Hi-Bred International, Inc.		9394	•
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Cod	e)		CIAL USE ONLY
700 Capital Square 400 Locust		PVPO NUMBER	
Des Moines, IA 50309		9300	0247
Choose the appropriate response which characterizes the var	iety in the features described b	elow. When the nu	mber of significant digits
in your answer is fewer than the number of boxes provided,			
Starred characters * are considered fundamental to an adeq when information is available.	uate soybean variety descriptio	n. Other characters	should be described
1. SEED SHAPE:			
2			
- - - - -	[T]		
1 = Spherical (L/W, L/T, and T/W ratios = $\langle 1.2 \rangle$ 3 = Elongate (L/T ratio \rangle 1.2; T/W = $\langle 1.2 \rangle$	2 = Spherical Flattened (4 = Elongate Flattened ()		
· · · · · · · · · · · · · · · · · · ·	······································		,
7 2. SEED COAT COLOR: (Mature Seed)		1)	
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (Specify)	
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)			
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	oy'; 'Gasoy 17')		•
4. SEED SIZE: (Mature Seed)			
	•	•	•
1 5 Grams per 100 seeds			
5. HILUM COLOR: (Mature Seed)			
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Blad	k 6 = Black	7 = Other (Specify)
6 1 = Buff 2 = Yellow 3 = Brown	4 - Gray 5 - Imperieut Blat	A Black	7 - Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)	· · · · · · · · · · · · · · · · · · ·		
1 1 = Yellow 2 = Green		•	
1 1 - Fellow 2 - Green	•	· -	
7. SEED PROTEIN PEROXIDASE ACTIVITY:			
1 = Low 2 = High		•	• *
8. SEED PROTEIN ELECTROPHORETIC BAND:			
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)	2		
			
9. HYPOCOTYL COLOR:			
1 = Green only ('Evans'; 'Davis') 2 = Green wit	h bronze band below cotyledons ("	Woodworth'; 'Tracy')	
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson';	'Coker Hampton 266A'		
			-
710. LEAFLET SHAPE:			·.
3 1 = Lanceolate 2 = Ovai 3 = Ovate	4 = Other (Specify)		

11. LEAF	LET SIZE:		
2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Corsoy 79'; 'Gasoy 17')	
12. LEAF	COLOR:		
2	1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	· 2 = Medium Green ('Corsoy 79'; 'Braxto	n')
13. FLOW	VER COLOR:		· .
1	1 = White 2 = Purple	3 = White with purple throat	
14. POD C	COLOR:		
1	1 = Tan 2 = Brown	3 = Black	
15. PLAN	T PUBESCENCE COLOR:		
2	1 = Gray 2 = Brown (Tawny)		
16. PLAN	T TYPES:		
2	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('Amcor'; 'Braxton')	
17. PLAN	Т НАВІТ:		
3	1 = Determinate ('Gnome'; 'Braxton')	2 = Semi-Determinate ('Will')	
	3 = Indeterminate ('Nebsoy'; 'Improved Pelic	an')	· .
18. MATU	IRITY GROUP:	: : : : : : : : : : : : : : : : : : :	· · · · · · · · · · · · · · · · · · ·
18. MATU		4 = I 5 = II 6 = III 12 = IX 13 = X	7 = IV 8 = V
0 6	### OF THE PROOF IN THE PROOF I	4 = I 5 = II 6 = III 12 = IX 13 = X	7 = IV 8 = V
0 6	### SE REACTION: (Enter 0 = Not Tested; 1 = Su	4 = I 5 = II 6 = III 12 = IX 13 = X	7 = IV 8 = V
0 6 19. DISEA	### TERIAL DISEASES: #### TERIAL DISEASES: ##################################	4 = I 5 = II 6 = III 12 = IX 13 = X sceptible; 2 = Resistant)	7 = IV 8 = V
0 6	### SE REACTION: (Enter 0 = Not Tested; 1 = Su	4 = I 5 = II 6 = III 12 = IX 13 = X sceptible; 2 = Resistant)	7 = IV 8 = V
0 6 19. DISEA	### TERIAL DISEASES: #### TERIAL DISEASES: ##################################	4 = I 5 = II 6 = III 12 = IX 13 = X sceptible; 2 = Resistant)	7 = IV 8 = V
0 6 19. DISEA	IRITY GROUP: 1 = 000	4 = I 5 = II 6 = III 12 = IX 13 = X sceptible; 2 = Resistant)	7 = IV 8 = V
19. DISEA BACT # 0 # 1	IRITY GROUP: 1 = 000	4 = I 5 = II 6 = III 12 = IX 13 = X sceptible; 2 = Resistant)	7 = IV 8 = V
19. DISEA BACT # 0 # 1	IRITY GROUP: 1 = 000	4 = I 5 = II 6 = III 12 = IX 13 = X sceptible; 2 = Resistant)	7 = IV 8 = V
19. DISEA BACT # 0 # 1	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII ASE REACTION: (Enter 0 = Not Tested; 1 = Su TERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES:	4 = I 5 = II 6 = III 12 = IX 13 = X sceptible; 2 = Resistant)	7 = IV 8 = V
19. DISEA BACT # 0 # 1	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII ASE REACTION: (Enter 0 = Not Tested; 1 = Su TERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) Race 1 0 Race 2 0 Race	4 = I	7 = IV 8 = V Other (Specify)
19. DISEA BACT # 0 # 1	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII ASE REACTION: (Enter 0 = Not Tested; 1 = Su TERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina)	4 = I	
19. DISEA BACT # 0 # 1	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII ASE REACTION: (Enter 0 = Not Tested; 1 = Su TERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) Race 1 0 Race 2 0 Race	4 = I	
19. DISEA BACT # 0 # 1	IRITY GROUP: 1 = 000	4 = I	
19. DISEA BACT # 0 # 1	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII ASE REACTION: (Enter 0 = Not Tested; 1 = Su TERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) Race 1 0 Race 2 0 Race Target Spot (Corynespora cassiicola) Downy Mildew (Peronospora trifoliorum var.	4 = I	

FORM LMGS-470-57 (6-83)

ia. Diaen	SE REACTION	; (Enter u = Not i	ested; 1 = Susceptible; 2 =	Resistant) (Continued)				
·. —	IGAL DISEASE	S: (Continued)						
* [1]	Pod and Stem	Blight (Diaporthe	phaseolorum var; sojae)					
	Purple Seed S	tain (Cercospora k.	ikuchii)					
1	Rhizoctonia F	Root Rot (Rhizocte	onia solani)					
* 2	Race 1	2 Race 2	1 Race 3 1	Race 4 1 Race 10, 13, 1				
<u> </u>	Race 8	1 Race 9	2 Other (Specify)					
VIR	AL DISEASES:							
		obacco Ringspot V	•					
븻	Yellow Mosaid	: (Bean Yellow Mo	saic Virus)					
* 💾	Cowpea Mosai	ic (Cowpea Chloro	tic Virus)					
1	Pod Mottle (B	ean Pod Mottle Vi	rus)					
* 1	Seed Mottle (S	Soybean Mosaic Vi	rus)					
NEM	ATODE DISEA	SES:			**************************************			
	Soybean Cyst	Nematode (Hetero	dera glycines)	(new race 14)				
★ 0	Race 1	O Race 2	2 Race 3 2		(Specify)			
0	Lance Nemato	ode (<i>Hoplolaimus</i> (Colombus)					
* 0	Southern Roo	t Knot Nematode	(Meloidogyne incognita)					
* 0	Northern Roo	t Knot Nematode	(Meloidogyne Hapla)					
	Peanut Root k	Cnot Nematode (M	eloidogyne arenaria)					
	Reniform Nen	natode (<i>Rotylench</i>	ulus reniformis)					
H	OTHER DISE	ASE NOT ON FO	RM (Specify):					
		<u>-</u>						
	OLOGICAL RES	SPONSES: (Enter	0 = Not Tested; 1 = Susce	ptible; 2 = Resistant)				
* []	iron Chlorosis	on Calcareous Soi	· ·					
	Other (Specify	/)						
21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)								
	Mexican Bean	Beetle (Epilachna	varivestis)					
0	Potato Leaf He	opper (Empoasca i	abae) .					
	Other (Specify	·/						
22. INDICA	TE WHICH VA	RIETY MOST CL	OSELY RESEMBLES TH	AT SUBMITTED.				
	RACTER	l	E OF VARIETY	CHARACTER	NAME OF VARIETY			
Plant Sh	ape	940	2	Seed Coat Luster	9402			
Leaf Sha	ape	940	2	Seed Size	9402			
Leaf Col	lor	940	2	Seed Shape	9402			
Leaf Siz	е	940	2	Seedling Pigmentation	9402			
			· 	•				

FORM LMGS-470-57 (6-83)

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
9394 Submitted	131	2	100			43.0	21.8	15	3
9402 Name of Similar Variety	129	2	93			46.0	21.0	18	3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

9394 Soybean (April 1993)

Exhibit D: Additional Description

In Exhibit C we have identified 9394 as susceptible to bacterial blight, brown spot, pod and stem blight, rhizoctonia root rot, bud blight, yellow mosaic, cowpea mosaic, pod mottle, seed mottle, and iron chlorosis. This does not mean that 9394 is any worse for these problems than other varieties of similar maturity. Rather, we do not consider 9394 to be immune to them. Therefore, we have chosen to be conservative and have identified the line as 'susceptible'.

Table 1. Isozyme information for 9394

ACO2	ACO3	ACO4	<u>ACP</u>	ENP	IDH1	IDH2	MPI	PGM
2	1	2	A	A	2	1	A	1

9394 is a late group III variety. If group III maturities are divided in tenths, the relative maturity for 9394 is 3.9.

Exhibit E: Statement of the Basis of Ownership

Variety 9394 was developed by Pioneer Hi-Bred International, Inc., for which it solicits a certificate of protection.

